

	Search Text
1	metadata and @ad<20000913
2	manag\$3 same router
3	(metadata and @ad<20000913) and (manag\$3 same router)
4	@ad<20000913
5	rout\$3 with (data or metadata)
6	(rout\$3 with (data or metadata)) and manag\$
7	((rout\$3 with (data or metadata)) and manag\$) and @ad<20000913
8	(manag\$3 or monitor\$3) same router same \$4data
9	(router or routing) with metadata
10	((manag\$3 or monitor\$3) same router same \$4data ) and ((router or routing) with metadata) and @ad<20000913
11	((manag\$3 or monitor\$3) same router same \$4data ) and creat\$3 and convert\$3
12	((((manag\$3 or monitor\$3) same router same \$4data ) and creat\$3 and convert\$3) and (load\$3 same object\$)
13	(((((manag\$3 or monitor\$3) same router same \$4data ) and creat\$3 and convert\$3) and (load\$3 same object\$)) and @ad<20000913
14	((((((manag\$3 or monitor\$3) same router same \$4data ) and creat\$3 and convert\$3) and (load\$3 same object\$)) and @ad<20000913) and (router same metadata)

	Search Text
15	(((((manag\$3 or monitor\$3) same router same \$4data ) and creat\$3 and convert\$3) and (load\$3 same object\$)) and @ad<20000913) and metadata) and object) and SNMP
16	(((((manag\$3 or monitor\$3) same router same \$4data ) and creat\$3 and convert\$3) and (load\$3 same object\$)) and @ad<20000913) and metadata) and object) and SNMP) and MIB
17	(((((manag\$3 or monitor\$3) same router same \$4data ) and creat\$3 and convert\$3) and (load\$3 same object\$)) and @ad<20000913) and metadata) and object
18	(((((manag\$3 or monitor\$3) same router same \$4data ) and creat\$3 and convert\$3) and (load\$3 same object\$)) and @ad<20000913) and metadata
19	(((((manag\$3 or monitor\$3) same (router or routing) same \$4data ) and creat\$3 and convert\$3) and (load\$3 same object\$)) and @ad<20000913) and metadata
20	(((((manag\$3 or monitor\$3) same (router or routing) same \$4data ) and creat\$3 and convert\$3) and (load\$3 same object\$)) and @ad<20000913) and metadata) and (router with metadata)
21	(((((manag\$3 or monitor\$3) same (router or routing) same \$4data ) and creat\$3 and convert\$3) and (load\$3 same object\$)) and @ad<20000913) and metadata) and ((router or routing) with metadata)
22	((manag\$3 or monitor\$3) same (router or routing) same metadata
23	((manag\$3 or monitor\$3) same (router or routing) same metadata) and @ad<20000913
24	((manag\$3 or monitor\$3) same (router or routing) same metadata) and @ad<20000913) and creat\$3 and convert\$3

	Search Text
25	((((manag\$3 or monitor\$3) same (router or routing) same metadata) and @ad<20000913) and creat\$3 and convert\$3) and (load\$3 same object)
26	((manag\$3 or monitor\$3) same (router or routing) same \$4data
27	((manag\$3 or monitor\$3) same (router or routing) same \$4data ) and creat\$3
28	((manag\$3 or monitor\$3) same (router or routing) same \$4data same file
29	((manag\$3 or monitor\$3) same (router or routing) same \$4data same file) and creat\$3 and read\$3 and convert\$3
30	((((manag\$3 or monitor\$3) same (router or routing) same \$4data same file) and creat\$3 and read\$3 and convert\$3) and loading same (object or model)
31	((((manag\$3 or monitor\$3) same (router or routing) same \$4data same file) and creat\$3 and read\$3 and convert\$3) and loading same (object or model)) and metadata
32	@ad<20000913 and (router adj3 metadata)
33	((manag\$3 or monitor\$3) same router same \$4data same file
34	((manag\$3 or monitor\$3) same router same \$4data same file) and creat\$3
35	((((manag\$3 or monitor\$3) same router same \$4data same file) and creat\$3) and convert\$3
36	((((manag\$3 or monitor\$3) same router same \$4data same file) and creat\$3) and convert\$3) and (load\$3 same object\$)
37	(((((manag\$3 or monitor\$3) same router same \$4data same file) and creat\$3) and convert\$3) and (load\$3 same object\$)) and @ad<20000913

	Search Text
38	(((((manag\$3 or monitor\$3) same router same \$4data same file) and creat\$3) and convert\$3) and (load\$3 same object\$)) and @ad<20000913) and metadata
39	router and metadata and @ad<20000913
40	(router and metadata and @ad<20000913) and creat\$3 and convert\$3 and (load\$3 same object\$)
41	((router and metadata and @ad<20000913) and creat\$3 and convert\$3 and (load\$3 same object\$)) and (object adj model)) and (metadata adj file)
42	((router and metadata and @ad<20000913) and creat\$3 and convert\$3 and (load\$3 same object\$)) and (object adj model)
43	((router and metadata and @ad<20000913) and creat\$3 and convert\$3 and (load\$3 same object\$)) and (object near4 router)
44	((router and metadata and @ad<20000913) and creat\$3 and convert\$3 and (load\$3 same object\$)) and (object\$ with router)
45	creat\$3 adj2 metadata
46	convert\$3 adj3 metadata
47	load\$3 with object\$
48	router
49	(creat\$3 adj2 metadata) and (convert\$3 adj3 metadata) and (load\$3 with object\$) and router
50	(creat\$3 adj2 metadata) and (load\$3 with object\$) and router

	Search Text
51	creat\$3 adj3 metadata
52	metadata near4 object\$
53	(load\$3 with object\$) and router and (creat\$3 adj3 metadata) and (metadata near4 object\$)
54	@ad<20000913
55	@ad<20000913 and (router same (object adj model))
56	(@ad<20000913 and (router same (object adj model))) and data
57	((@ad<20000913 and (router same (object adj model))) and data) and creat\$3
58	(((@ad<20000913 and (router same (object adj model))) and data) and creat\$3) and (load\$3 same object\$)
59	(((@ad<20000913 and (router same (object adj model))) and data) and creat\$3) and load\$3
60	@ad<20000913 and SNMP and MIB
61	(@ad<20000913 and SNMP and MIB) and (router near3 object\$)
62	((@ad<20000913 and SNMP and MIB) and (router near3 object\$)) and file
63	(((@ad<20000913 and SNMP and MIB) and (router near3 object\$)) and file) and creat\$
64	((((@ad<20000913 and SNMP and MIB) and (router near3 object\$)) and file) and creat\$) and convert\$3
65	(((((@ad<20000913 and SNMP and MIB) and (router near3 object\$)) and file) and creat\$) and convert\$3) and load\$3
66	(@ad<20000913 and SNMP and MIB) and (router near3 (object\$ or model))

	Search Text
67	((@ad<20000913 and SNMP and MIB) and (router near3 (object\$ or model))) and (creat\$3 near3 (data or file or metadata))
68	(((@ad<20000913 and SNMP and MIB) and (router near3 (object\$ or model))) and (creat\$3 near3 (data or file or metadata))) and load\$3
69	(((((@ad<20000913 and SNMP and MIB) and (router near3 (object\$ or model))) and (creat\$3 near3 (data or file or metadata))) and load\$3) and convert\$
70	(@ad<20000913 and SNMP and MIB) and ((router or routing) near4 (model or object))
71	((@ad<20000913 and SNMP and MIB) and ((router or routing) near4 (model or object))) and (creat\$3 near4 (data or file))
72	(((@ad<20000913 and SNMP and MIB) and ((router or routing) near4 (model or object))) and (creat\$3 near4 (data or file))) and convert\$3
73	(((((@ad<20000913 and SNMP and MIB) and ((router or routing) near4 (model or object))) and (creat\$3 near4 (data or file))) and convert\$3) and (load\$3 near4 object\$)
74	(((((@ad<20000913 and SNMP and MIB) and ((router or routing) near4 (model or object))) and (creat\$3 near4 (data or file))) and convert\$3) and load\$3
75	("6226788").PN.
76	cisco.asci.
77	cisco.as.
78	cisco.as. and schoening

	Search Text
79	router with metadata